

Miner Network Connection Guide:

Connect · Locate IP · Log In · Configure · Set Up Wallet

Connect the Miner	Run IP Reporter	Obtain the IP Address	Log In and Configure	Set Up the XAVVI Wallet
-------------------	-----------------	-----------------------	----------------------	-------------------------

Unboxing Checklist

After receiving the miner, unpack it. The package contains four items: a compact square-box miner, a power adapter, an Ethernet cable with network connectors on both ends, and a small pin tool. See the image below:



Part One |

1

1. Plug the power adapter into an electrical outlet. Connect one end of the Ethernet cable to the miner and the other end to a reliable network port. (If you

have multiple miners, purchase a 50-port network switch on Amazon.) See the image below:



2


2. Next, you will receive a compressed file package (please contact us). Use a desktop or laptop computer to extract the file we send you. Locate the IPREPORTER archive, extract it, and save it to the desktop.

1_5175138160899786714.
zip
968.7K



3

3. After clicking IPReporter, a window will appear. Select "Extract All," click "Browse," and save the extracted files to the desktop.




4

4. On the desktop, open the saved folder and locate IPReporter near the middle of the file list. Open it, then click START in the upper-right corner. Use the small pin to press the tiny hole on the left side of the miner (note that there are two


small holes side by side). The IP address will automatically appear on your computer screen.

Name	Date modified	Type	Size
*****	5/28/2020 10:42 AM	Text Document	1 KB
IPReporter	3/25/2015 2:41 PM	Application	1,951 KB
log	8/19/2026 1:42 PM	Text Document	131 KB




5. Write down the IP address, which usually begins with 192.168. Open your preferred browser and enter the IP address. A login page will appear. Enter the following credentials: Username: root; Password: bfc123.

5




LOG IN TO ADMIN PANEL

1. Enter the miner's IP address in your browser to open the admin page.
2. Username: root
3. Password: bfc123
4. After signing in, the admin dashboard will open.




6

6. After logging in, use the left-hand menu to select Configuration → Pool/Miner.



7. In the Worker field, enter your XAVVI public-chain wallet address (see Part Two below for instructions using TokenPocket as an example). Enter the address for both Pool1 and Pool2, then click SAVE on the right.



Part Two | How to Set Up a XAVVI Public-Chain Wallet Address in TokenPocket:


1

Download TokenPocket on your phone and complete the wallet setup. Store your recovery phrase securely.




2

On the Home screen (normally the Assets tab at the lower left), tap the wallet icon with a plus sign near the upper-right corner. In the window that appears, scroll to the bottom and tap "Add Custom Network."



3

On the next screen, tap "Add Custom Network" again.



4

Enter the following information:

Network Parameters


Network Type	EVM
Network Name	xavvi
RPC URL	https://rpc.xavvi.com
Chain ID	16185
Native Token Symbol	BFC
Block Explorer URL	https://explorer.xavvi.com

5

Tap Save.


6

Return to the Home screen and tap the wallet icon with a plus sign near the upper-right corner.



7

Under Single-Network Wallet, enter XAVVI in the search box.




8

When xavvi with the EVM icon appears, tap it and select Import Wallet:

A. If you do not need to import BFC from another wallet, simply tap Create Wallet.

B. If you have BFC in another wallet, import the recovery phrase from that wallet (for example, SafePal), then tap Confirm to complete the import. Follow the

steps shown in the images below. A new wallet address labeled BFC will then be created automatically on the Home screen.



9

Confirm that this wallet address matches your SafePal wallet address. Tap Receive to display a QR code and receiving address, then verify that the address matches the one in SafePal.

